Purchasing Receipts

Received Accounting Container Status Receive Price/Unit Aging Past Total Supplier Name	\$15.56 McMaster- Carr Supply	Co. \$16.20 McMaster- Carr	Supply Co,	\$31.76
ast To	€ <del>9</del>	₩ ₩		\$3,
ging Pa	0	0		
rice/Unit D	2.59 / ft	1.08 / ft		
Receive P	Stock 11/24/2018 \$ 2.59 / ft	Stock 11/24/2018 \$ 1.08 / ft		
Status	Stock	Stock		
Container	5131162	\$131163		
Accounting Job No				
Received /	σ	15		21
Due Date	6 11/23/2018			
Order	ω	5		21
Description Part Project Equipment Order ID Qty			,	lotal:
Project				
For Part No				
Description	Tool Steel Round Bar 0.375 dia.	Hose		
urchased Item		KUR BW100 Hose		
Terms	2% 10 MT-O1- Net 30 R0.375			
Re	-			
Line Item No	o	13		
PO No Supplier Item No Terms Pt	P0041784 MCM001-			
PO No	P0041784			

Plex 11/24/2018 7:19 AM Dart. Belanger. Natasha

1/4



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

**PURCHASE ORDER** PO041784

Tel (613) 632-5200

Supplier: MCM001-VU

McMaster-Carr Supply Co,

P.O. Box 7690

Chicago, IL 60680-7690 USA Phone: 330 995 5500

Fax: 330 995 9600

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada

Phone: 613-632-5200

PO No:

PO041784

PO Date:

11/20/18

Due Date:

11/23/18

**Purchase Order** 

Revision:

**Revision Date:** Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Via:

Ground

**Pymt Terms:** 

2% 10 Net 30

Freight Terms:

**Special Comments:** 

Line	T		10	1		tems						
Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended
1	and the second second second	RBE117- 30001W3-5	1/pk 3403T331	Strap Assembly	Firmed	-	11/23/18	4 Ea	0 Ea	4 Ea	\$83.42/Ea	
2		20625A914	1/pk	Dial Indicator Attchmnt Agd-2 Dial	Firmed		11/23/18	5 Ea	0 Ea	5 Ea	\$6.63/Ea	\$33.15
3		91259A583	1/pk	Shoulder Screw 5/16" Shoulder Dia, 1" L Shoulder, 1/4"-20 Thread	Firmed	-	11/23/18	10 Ea	0 Ea	10 Ea	\$1.17/Ea	\$11.70
4	Printer which desires a management management	5416K41	5/pk	SS Hose Clamp 3.5" Dia. receive ea	Firmed	-	11/23/18	10 Ea	0 Ea	10 Ea	\$1.536/Ea	\$15.36
5	The state of the s	AGD-2		1" Dial Indicator 0" to 1" Range	Firmed	-	11/23/18	2 Ea	0 Ea	2 Ea	\$90.45/Ea	\$180.90
6	186437	97787A661		Expandable Pin receive pcs	Firmed		11/23/18	20 pcs	0 pcs	20 pcs	\$114.68/pcs	\$2,293.60
ine Item Note	as per d	wg d4711 rev.	d	- re-		1			1	-1	1	
7		21135A53		Plug Gauge receive ea	Firmed -		11/23/18	10 Ea	0 Ea	10 Ea	\$18.77/Ea	\$187.70
ine Item Note	gauge pi	in size: .0540"	dia		1	1	- 1		- 1		parent.	-
8	186442	21135A54		Plug Gauge	Firmed -		11/23/18	10 Ea	0 Ea	10 Ea	\$13.05/Ea	\$130.50
ne Item Note	naune ni	n size: 1440"	1	-	_	· ·	- 1	_1	1	1		

Plex 11/21/18 11:29 AM dart.lavoie.chantal



.......

Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

**PURCHASE ORDER** PO041784

Tel (613) 632-5200

	_				,	tems						
Line	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity		Unit Price (USD)	Extended Price
9)		MT-O1- R0.375	8893K239 6 ft	Tool Steel Round Bar 0.375 dia.	Firmed 68+		11/23/18 2 4 201	6 ft	0 ft	6 ft	\$2.593333/ft	\$15.56
10		MT-O1-B- 0.375X0.500	9516K101 6 ft	Tool Steel Bar 0.375" X 0.500"	Firmed	-	11/23/18	6 ft	0 ft	6 ft	\$13.22666/ft	\$79.36
11		91249A146	100/pk	Screw, Stainless Steel	Firmed	-	11/23/18	100 pcs	0 pcs	100 pcs	\$0.0516/pcs	\$5.16
12		91375A673	10/pk	Socket Head Set Screw 7/16- 14 X 1.5 receive ea	Firmed	-	11/23/18	20 Ea	0 Ea	20 Ea	\$0.922/Ea	\$18.44
(13)		KUR BW100	48925K93 / 5 ft	Hose /< Of	Firmed		11/23/18	15 ft	O ft	15 ft	\$1.08/ft	\$16.20
e Item Note	3 pcs of	5 ft	THE WIND WE BOT AFOR A	-136	INO	¥ Z 4 ZU	110 pe	0 . 1	<u>-</u>	1		
14		76475A92		Low-Friction Surface- Protection Tape w/Teflon PTFE, Extra- Tough, 2" Wide x 0.022" Thick x 3' Long receive ea	Firmed		11/23/18	6 ft	O ft	6 ft	\$12.973333/ft	\$77.84
15	1	90293A113	!	Quick Release Pin 1/4" dia. , 1- 1/2" Length	Firmed -	100	11/23/18	13 Ea	0 Ea	13 Ea	\$20.57/Ea	\$267.41
16		91257A662	1	Steel Hex Head Screw 8/8"-24 x 2- 8/4" Long	Firmed -	1	1/23/18	20 Ea	0 Ea	20 Ea	\$0.83/Ea	\$16.60
17	\$	91735A146	F S 3	SS Pan Head Philliips Screw #6- 12 x 3/8" ong	Firmed -	1	1/23/18	50 Ea	0 Ea	50 Ea	\$0.1004/Ea	\$5.02
18	9	2865A221	5/pk T	BD F	irmed -	1	1/23/18	5 Ea	0 Ea	5 Ea	\$2.352/Ea	\$11.76

Plex 11/21/18 11:29 AM dart.lavoie.chantal



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

## **PURCHASE ORDER** PO041784

Tel (613) 632-5200

					1	tems						
Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extende Price
19		94744A240	25/pk	Flat Washer Zinc-Plated Steel Washer 1/4" Screw size 25/pack	Firmed	-	11/23/18	25 Ea	0 Ea		\$0.2596/Ea	
20		94748A429	1/pk	SS Knob- Grip Push- Button Quick Release Pin 3/8" Dia. x 2-1/2" Long	Firmed	Agency of the second se	11/23/18	4 Ea	0 Ea	4 Ea	\$39.70/Ea	\$158.80
21		94748A439		SS Knob- Grip Push- Button Quick Release Pin 1/2" Dia. x 1" Long	Firmed	_	11/23/18	4 Ea	0 Ea	4 Ea	\$46.41/Ea	\$185.64
	er) trade lawrence				1						Grand Total:	

**Order Notes** 

**Procurement Quality Clauses** 

A005 RIGHT OF ENTRY

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 DOCUMENT SPECIAL REQUIREMENTS

A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 11/21/18 11:29 AM dart.lavoie.chantal



# Packing List

200 Aurora Industrial Pkwy Aurora OH 44202-8087 330-995-5500 cle.sales@mcmaster.com Dart Aerospace Ltd 1270 Aberdeen St Hawkesbury ON K6A 1K7 Canada Purchase Order PO041784

Order Placed By

Chantal Lavoie

Page 1 of 1

McMaster-Carr Number 4390621-03

Line		Product	Ordered 8	Shipped
9 88	893K239	Jight-Tolerance Multipurpose O1 Tool Steel Rod, 0.3750" Diameter, 6 Feet Long	1 Each	1/
13 48	8925K93	Standard-Wall Unthreaded PVC Pipe for Water, 1 Pipe Size, 5 Feet Long	3 Each	3
Shippe	ed separa	ately from our Chicago warehouse on 11/21	1	
1 34	103T331	Nylon Web Sling with Choker Fittings, 2475 lbs. Choker Capacity, 5 Feet Long	4 Each	4
10 95	16K101	Tight-Tolerance Multipurpose O1 Tool Steel Bar, 3/8" Thick, 1/2" Wide, 6 Feet Long	1 Each	1
21 94	748A439	Knob-Grip Push-Button Quick-Release Pin with Lanyard, 3/8" Diameter, 3-1/2" Usable Length	4 Each	3
Expect	ed to shi	p	•	
7 21	135A53	Class X Plug Gauge, No-Go, 0.054" Size	10 Each	<b>10</b> Nov 27-Dec 13
211	135A54	Class X Plug No-Go Gauge, Size= 1440	10 Each	<b>10</b> Nov 27-Dec 5

## McMASTER-CARR.

## Standard-Wall Unthreaded PVC Pipe for Water


1 Pipe Size, 5 Feet Long

\$5.40 Each 48925K93



For Use With	Drinking Water					
Shape	Straight					
Туре	Pipe					
Schedule	40					
Threading	Unthreaded					
Connection Type	Pipe					
Pipe Connection Type	Socket Connect					
Socket Connect Type	Cement					
Gender	Male					
Pipe Size	1					
Length	5 ft.					
Maximum Pressure	450 psi @ 72° F					
Minimum Temperature	Not Rated					
Maximum Temperature	140° F					
Material	PVC Plastic					
Color	White					
For Fitting Material Schedule	PVC Plastic					
Specifications Met	ASTM D1784, ASTM D1785, NSF/ANSI Standard 6 for Drinking Water					
RoHS	Compliant					

Also known as Schedule 40 pipe, this is commonly used for low-pressure plumbing applications. It is made of PVC, which has good corrosion resistance, strength, and rigidity. Connect to unthreaded fittings using a PVC primer and cement.



The information in this 3-D model is provided for reference only.

## McMASTER-CARR.

Tight-Tolerance Multipurpose O1 Tool Steel Rod 0.3750" Diameter

8893K239



O1 Tool Steel Material

Cross Section

Construction Appearance

Diameter

Diameter

Tolerance

Tolerance

Rating

Yield Strength

Temper

Rating

Hardness

Hardness

Rating

Heat

Treatable

Maximum

Hardness after Heat

Treatment

Mechanical

Finish

Temperature

Range

Specifications

Met

Straightness

Tolerance

Density

Coefficient of Thermal

Expansion

Elongation

Material

Composition

Iron

0.85-1.05%

Carbon Chromium Round Solid

Plain

0.375"

-0.0005" to 0.0005

**Tight** 

50,000 psi

Softened (Annealed)

Rockwell B90

Medium

Yes

Rockwell C65

Precision Ground

Not Rated

ASTM A681

Not Rated

0.28 lbs./cu. in.

 $7.1 \times 10^{-6}$ 

25%

94.79-96.95%

0.40-0.70%

1.00-1.40% Manganese Nitrogen 0.40-0.60% Phosphorus 0-0.030% Silicon 0-0.50% 0-0.030% Sulfur 0.40-0.60% Tungsten Vanadium 0-0.30% Length 3 ft., 6 ft.

Additional Guidelines for Head Specifications Treating Tool Steel

RoHS Compliant

These precision-ground rods have a tight diameter tolerance. Commonly used for dies, punches, and gauges. Of tool steel is an oil-hardening material that resists wear and abrasion.

0 BY APPROVED AISI 01 TOOL STEEL ROUND BAR WA VM. 17.08.09 DATE (1 DESCRIPTION UN 17-1,49 REV. MT-01-R [D.DDD] WHERE "D.DDD" = DIAMETER IN INCHES EG, 5/8" ROUND BAR = MT-01-R0.625 SPECIFICATION CONTROL DRAWING AISIO1 TOOL STEEL ROUND BAR DIN 1.2510 or B.S. BO 1 or SAE J437 or SAE J438 or UNS T31501 of ASTM A681) 40 PURCHASE MATERIAL: SPECIFICATION: PART NUMBER:

0

O

#### MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MFO		20.	375		PO / BATCH	NO.: <u>PO 04</u>	1784/5/3/16:
DATE: /8/11/2	16						
MATERIAL CERT REC'D: 16				THICK	(NESS ORDER	RED: 0.37	25"
QUANTITY RECEIVED: 641							
QUANTITY INSPECTED: 64+				SHEE	T SIZE ORDEF	RED:	
QUANTITY REJECTED:				SHEET	T SIZE RECEIN	/ED:	
DESCRIPTION	(Ch	CR leck (N)			COMMENT	rs	
SURFACE DAMAGE		(N)					
CORRECT FINISH	8	N					
CORROSION	Υ						
CORRECT GRAIN DIRECTION	8	N	1				
CORRECT MATERIAL PER M-DRAWING	0	N	ASTA	1 A681			
CORRECT THICKNESS	(8)	N					
PHOTO REQUIRED	Y	N					
CORRECT REF # TO LINK CERT	8	N	4Ti	PO 0417	89		
CORRECT MATERIAL IDENTFICATION	(Y)	N					
CORRECT M# ON THE MATERIAL	(A)	N					
DOES THIS MATERIAL REQUIRE	.,	0					
ENGINEERING SIGN OFF	Y	N					
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(1)					
CUT SAMPLE PIECI	E OF	MA.	TERIAL A	ND PREFORM	A HARDNE	SS CHECK.	
COT SAMILLE FILLO				ULTS BELOW			
		1	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL							
SIZE OF TEST SAMPLE							
HARDNESS / DUROMETER READI	NG						
HANDINESS / DONOWIL TEN NEADI	.40	_		AL - Overlife Office		1	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY:	SIGNED OFF BY:
DATE: \$8/11/26	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in